ES-SYSTEM

FX65 FLOW

Sleek and elegant.



Description

FX family is an elegant and timeless linear system that allows for creating captivating arrangements in any interior. Its modern design and simple construction make it a great choice for general as well as decorative lighting, both in private interiors and public buildings. FX65 FLOW is a pendant lighting system made of smooth, rectangular extruded aluminum profile that is suitable for creating circular and bent structures. The optics consist of a non-yellowing opalized PMMA diffuser for evenly diffused light. The overlapped diffuser eliminates light leakage at the luminaire's connecting points. The specular internal reflector increases the efficiency of the optical system and the uniformity of the diffuser's illumination. Easy, tool-free adjustment of the luminaire's suspension height. 4 standard diameters: 1000 mm, 1500 mm, 2000 mm and 3000 mm.

Technical specifications

Mounting
For pendant mounting, a cable and wires are included in the luminaire For surface mounting, a bracket set should be ordered separately. See accessories.

Body material and colour
Body in extruded aluminum. White or black.

Optic

Available with Opal diffuser in polycarbonate (OP/PC) or microprismatic in PMMA


Accessories
A cable and suspension wires are included in the luminaire. Suspensions for 1000mm 3pcs x3m, for 1500mm 6pcs x3m, for 2000mm 6pcs x5m, and for 3000mm 9pcs x5m.


Light Source
LED 6000 - 27 000 lumen outColour temperature 3000/4000 Kelvin, CRI Ra 80, MacAdams 3.


Connection
Supplied with 2,5m (1000/1500mm) or 5m cable (2000/3000mm).


The Company reserves the right to change any product specifications without prior notification.

Illustrations










The Company reserves the right to change any product specifications without prior notification.


Images









The Company reserves the right to change any product specifications without prior notification.







The Company reserves the right to change any product specifications without prior notification.